

Printing date 31.12.2024

Version number 1

Revision and application 31.12.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Cartouche EXPRESS dont 26% Bio propane
- · Article number: 448
- · Reference Safety data sheet Ref. 448 FR FDS n°061a
- · UFI: A720-00EE-800M-DUDY
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU21 Consumer uses: Private households / general public / consumers

- · Product category PC38 Welding and soldering products, flux products
- · Application of the substance / the mixture

Refill for LPG vapour pressure appliances. Fuel for domestic, industrial and agricultural use.

- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

GUILBERT EXPRESS

10 rue Henry Delbast

77183 CROISSY-BEAUBOURG

www.express-fds.fr

- · Further information obtainable from: info@express.fr
- · 1.4 Emergency telephone number:

+33/825 800 251

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

In Ireland: National Poisons Information Centre, 01 8092566 or 01 8379964.

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Gas 1A H220 Extremely flammable gas.

Press. Gas (Liq.) H280 Contains gas under pressure; may explode if heated.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



GHS02

- · Signal word Danger
- · Hazard statements

H220 Extremely flammable gas.

H280 Contains gas under pressure; may explode if heated.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P377 Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

(Contd. on page 2)

Printing date 31.12.2024 Version number 1

Revision and application 31.12.2024

Trade name: Cartouche EXPRESS dont 26% Bio propane

(Contd. of page 1)

P381 In case of leakage, eliminate all ignition sources.

P410+P403 Protect from sunlight. Store in a well-ventilated place.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 106-97-8 EINECS: 203-448-7	butane, pure By Flam. Gas 1A, H220; Press. Gas (Comp.), H280	74%
Reg.nr.: 01-2119474691-32-XXXX		
CAS: 74-98-6	propane	26%
EINECS: 200-827-9	♠ Flam. Gas 1A, H220; Press. Gas (Comp.), H280	

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Mouth respiratory protective device.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.
- · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

Printing date 31.12.2024 Version number 1 Revision and application 31.12.2024

Trade name: Cartouche EXPRESS dont 26% Bio propane

(Contd. of page 2)

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Keep away from heat and direct sunlight.
- Information about fire and explosion protection: Keep ignition sources away Do not smoke.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- Recommended storage temperature: Storage temperature : Room temperature
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

106-97-8 butane, pure

WEL Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1450 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene)

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.
- · Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Not applicable

Non applicables.

Penetration time of glove material

Not applicable

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye/face protection Not required.
- · Body protection: Protective workwear (EN-1149)

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information

Physical state
Colour:
Odour:
Odour threshold:

Gaseous

Colourless
Characteristic
Not determined.

(Contd. on page 4)

Printing date 31.12.2024 Version number 1 Revision and application 31.12.2024

Trade name: Cartouche EXPRESS dont 26% Bio propane

	(Contd. of page
Melting point/freezing point:	Not determined.
Boiling point or initial boiling point and boiling	
range	-0.5 °C
Flammability	Not determined.
Lower and upper explosion limit	
Lower:	0.6 Vol %
Upper:	12 Vol %
Flash point:	-70 °C
Auto-ignition temperature:	455 °C
Decomposition temperature:	Not determined.
pH	Mixture is a gas.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Partly miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 °C:	10.5 hPa
Density and/or relative density	
Density at 20 °C:	0.5 g/cm^3
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Compressed liquefied gas
Important information on protection of health and environment, and on safety.	
Ignition temperature: Explosive properties:	Product is not selfigniting.
Explosive properues.	Product is not explosive. However, formation explosive air/vapour mixtures are possible.
Solvent content:	
Organic solvents:	70.0 %
VOC (EC)	0,00 %
Oxygen content (%)	
Solids content:	0.0 %
SADT (°C)	
Evaporation rate	Not applicable.
Information with regard to physical hazard classe	· ·
Explosives	Void
Flammable gases	Extremely flammable gas.
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Contains gas under pressure; may explode if heated.
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void Void
Pyrophoric liquids	Void Void
Pyrophoric solids	Void Void
Self-heating substances and mixtures	Void Void
Substances and mixtures, which emit flammable	, om
gases in contact with water	Void
Oxidising liquids	Void Void
Oxidising uquas Oxidising solids	voia Void
OAIGISHIY SUHUS	
	Void
Organic peroxides Corrosive to metals	Void Void

Printing date 31.12.2024 Version number 1

Revision and application 31.12.2024

Trade name: Cartouche EXPRESS dont 26% Bio propane

(Contd. of page 4)

· Desensitised explosives

Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid

Direct rays of the sun.

Avoid temperatures above 50°C

· 10.5 Incompatible materials:

Strong acids

Alkali metals

· 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

GB

Printing date 31.12.2024 Version number 1 Revision and application 31.12.2024

Trade name: Cartouche EXPRESS dont 26% Bio propane

(Contd. of page 5)

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14.1 UN number or ID number ADR, IMDG, IATA	UN2037
14.2 UN proper shipping name	
ADR	Void
IMDG, IATA	RECEPTACLES, SMALL, CONTAINING GAS (GACARTRIDGES)
14.3 Transport hazard class(es)	
ADR	
Class	2 5F Gases.
Label	2.1
ADN/R Class:	Void
IMDG, IATA	
Class	2.1 Gases.
Label	2.1
14.4 Packing group	
ADR, IMDĞ, İATA	Void
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Gases.
Hazard identification number (Kemler code):	-
14.7 Maritime transport in bulk according to IM	0
instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	IL
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
Transport category	2
Tunnel restriction code	D
Remarks:	DS : 191-303-327-344
IMDG	
Limited quantities (LQ)	IL
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
UN "Model Regulation":	Void

Printing date 31.12.2024

Version number 1

Revision and application 31.12.2024

Trade name: Cartouche EXPRESS dont 26% Bio propane

(Contd. of page 6)

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- · Regulated explosives precursors

None of the ingredients is listed.

Regulated poisons

None of the ingredients is listed.

Reportable explosives precursors

None of the ingredients is listed.

Reportable poisons

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I

Liquefied flammable gases

None of the ingredients is listed.

- Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · National regulations:
- · Waterhazard class: Water hazard class 3 (Self-assessment): extremely hazardous for water.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H220 Extremely flammable gas.

H280 Contains gas under pressure; may explode if heated.

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Gas 1A: Flammable gases - Category 1A

Press. Gas (Comp.): Gases under pressure - Compressed gas

Press. Gas (Liq.): Gases under pressure - Liquefied gas